The 14th August 1889.

NOTICE.

Is hereby given that 2 teak poles purchased by one Nagappa of Kupgadde are now lying in Kerehalli Depôt, Sorab Taluk. The purchaser is hereby required to remove the above mentioned poles from the Depôt within one month from the date of this notification after paying depôt rent due from the date of sale; failing which, the timber will be sold by auction.

Tenders are invited for the collection of all dry sandalwood including roots left in the ground from the Taluks noted below from September 1889 to 31st July 1890.

2. Such tenders should be in the form given below and should reach the undersigned by the 31st instant accompanied by a deposit of Rs. 100.

3. The undersigned does not bind himself to accept the lowest tender or give any reason for the refusal of any tender.

4. The contractor will be bound to give 10 per cent free of charge in excess of the actual quantity brought to accounts on account of wastage and driage.

5. Form of Tender.

Name of Taluk.	Minimum quantity to be cellected.	Rate.
Channagiri	75 Tons.	
Honnali	50 ,,	
Kudligere and Benkipur Maganis, (Shimoga Taluk.) ..	50 ,,	
Tirthahalli Taluk excepting Mutur and Mundakar Maganis.)	50 ,,	

6. Other detailed information can be obtained at the office of the undersigned.

E. P. LOVERY,
Asstt. Conservator of Forests,
Shimoga District.

ASHTAGRAM CHANNEL DIVISION.

ADVETISEMENT.

The 2nd August 1889.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Ashtagram Channel Division, up to 31st instant, for excavating the Hulhalli Channel in the Nanjangud Taluk, Mysore District. An approximate estimate of qnantities is given below. These quantities are not guaranteed. The work shonld be completed by the end of June 1891.

2. The plans, detaild estimate and conditions may be seen at the Executive Engineer's Office at Mysore between the hours of 11 A. M. and 5 P. M.

3. Tenders should be submitted on printed forms, which may be obtained from the Executive Engineer. The tender should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

3 A. A separate tender should be submmitted for each contract section desired to be taken up.

4. Each tender must be accompanied by a deposit of Rs. 100 in cash or Government promissory notes as earnest money and be superscribed "Tender for excavating the Hulhalli Channel—Section," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender the successful competitors will be required to execute the usual contract bond; in default of which, their tenders will be considered cancelled, and the earnest money will be forfeited.

7. The names of the successful competitors whose tenders have been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender, will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Contractors are requested to state what reduction they are prepared to make from their rates for deep cuttings if they are provided with rails and trucks.

10. Contractors must specify the rates at which they are willing to execute the work. They must not refer to the rates entered in the estimate prepared by the Executive Engineer.

11. Copies of the Sections giving all dimensions may be obtained from the Assistant Engineer, Rampur Range, at Nanjangud, on payment of a small fee.

12. Contractors will only be paid for the excavation required to carry out the work according to the plans and estimates. They must bear the cost of all constructions and excavations made by them for the purpose of carrying or disposing of spoil.

214

Excavating the Hulhalli Channel,

No.	Items.	Unit of work.	Rate to be filled in by contractors.	Section No. 1.	Section No. 2 from 0 to 1 mile.				Section No. 3 from 1 to 3 miles.				Section No. 4 from 3 to 6 miles.			
				Head sluice.	Channel.	Bridges.	Waste weirs.	Sluices.	Channel.	Bridges.	Waste weirs.	Sluices.	Channel.	Bridges.	Waste weirs.	Sluices.
1	Excavation	C. Yd.		157	25,916	41	483	120	79,530	24	2,187	120	1,24,520	54	483	300
2	Earthwork embankment ...	Do		...	5,600	...	...	...	...	...	...	...	1,280	...	...	...
3	Consolidation	Do		...	...	...	...	...	...	...	...	...	...	...	...	...
4	Rough stone work	Do		136	...	...	350	...	...	...	1,324	...	...	...	350	...
5	Metalling and gravelling... ...	Do		...	...	8	...	...	...	...	...	...	...	10	...	...
6	Gravelling	Do		10	...	...	...	...	...	...	...	...	...	...	...	...
7	Jelly filling	Do		...	...	...	82	...	...	...	423	...	...	...	82	...
8	Cut stone, pillars	C. Ft		...	...	...	...	...	...	...	...	...	...	...	...	...
9	Slab stones dressed	Do		429	...	...	...	12	...	...	...	12	...	...	...	30
10	Stone pillars	Do		...	...	144	...	...	...	88	...	...	...	226	...	...
11	Slab stones...	Do		319	...	235	30	54	...	100	145	54	...	352	30	135
12	Do	Do		...	...	...	...	...	...	...	...	...	...	...	...	...
13	Guard stones	No.		...	...	4	...	...	...	...	...	...	...	4	...	...
14	Rough stone in ordinary concrete ...	C. Yd.		...	...	75	...	...	...	42	...	...	...	97	...	...
15	Cut stone in surki mortar ...	C. Ft.		708	...	...	...	...	...	...	...	...	...	...	...	...
16	Burnt st ne in do	Do		6,248	...	...	...	...	...	...	...	...	...	...	...	...
17	Brick in surki mortar, archwork ...	Do		...	...	...	...	...	...	...	...	...	...	...	...	...
18	Do do	Do		...	...	...	...	...	...	...	...	...	...	...	...	...
19	Do do	Do		...	...	...	...	...	...	...	...	...	...	...	...	...
20	Brick in ordinary mortar, archwork...	Do		...	...	...	...	...	...	...	...	...	...	...	...	...
21	Do do	Do		...	...	...	...	...	...	...	...	...	...	...	...	...
22	Brick in ordinary mortar ...	Do		...	...	292	3,314	796	...	...	5,015	796	...	345	1,314	1,990
23	Pointing with surki mortar ...	Sqr.		23	...	...	...	...	...	...	...	...	...	...	...	10·05
24	Do ordinary do ...	Do		...	...	3·86	...	...	...	2·61	...	...	...	5·18	...	...
25	Plastering with surki mortar ...	Do		22	...	...	2·89	4·02	...	...	11·39	4·02	...	...	2·89	...
26	Do with ordinary mortar ...	Do		...	...	5·48	...	...	...	..	...	...	...	6·44	...	...
27	Concrete with surki mortar ...	C. Ft.		470	...	...	...	...	...	...	...	...	...	...	...	...
28	Do ordinary do ...	Do		...	...	192	443	...	...	...	2,049	...	...	232	443	...
29	Cornice work	R. Ft.		300	...	...	...	...	...	...	...	...	...	...	...	...
30	Teakwood work	C. Ft.		44	...	...	...	2	...	...	...	2	...	...	...	5
31	Turfing	Sqr.		...	271	...	...	...	271	...	...	...	271	...	...	...
32	Trimming...	C. Yd.		...	...	...	...	...	...	...	...	...	...	...	...	...
33	Blasting	Do		...	...	...	...	...	...	...	...	...	...	...	...	...
34	Forming approaches	Do		...	...	...	...	...	...	...	...	...	...	...	...	...
35	Bailing water	L. S.		...	...	...	...	...	...	...	...	...	...	...	...	...
36	Centerings	Each.		...	...	...	...	...	...	...	...	...	...	...	...	...
37	Burnt stone work	C. Yd.		...	...	...	...	...	...	...	...	...	...	...	...	...
38	Ironwork	lbs.		...	...	...	...	...	...	...	...	...	...	...	...	...
39	Revetment, Turfing and Trimming ...	L. S.		...	...	...	...	...	...	...	...	...	...	...	...	...
40	Clearing site	Do		...	...	...	...	...	...	...	...	...	...	...	...	...
41	Brick in surki mortar	C. Ft.		4,390	...	...	...	...	...	...	...	...	...	...	...	...

Nanjangud Taluk, Mysore District.

Section No. 5 from 6 to 8¼ mile.				Section No. 6 from 8¼ to 10½ mile.				Section No. 7, 10½ to 11 miles.	Section No. 8, 11 to 11¾ miles.	Section No. 9, 11¾ to 13¼ miles.				Section No. 10, 13¼ to 17½ miles.				Section No. 11, 17½ to 22¼ miles.			
Channel.	Bridges.	Waste weirs.	Sluices.	Channel.	Bridges.	Waste weirs.	Sluices.	Channel.	Channel.	Channel.	Bridges.	Sluices.	Aqueduct.	Channel.	Bridges.	Waste weirs.	Sluices.	Channel.	Bridges.	Waste weirs.	Sluices.
1,20,220	55	483	180	1,40,375	120	1449	420	54,582	84,850	16,325	212	174	1,913	48,086	202	957	605	86,959	170	1,046	572
296	...	...	...	...	...	...	...	...	...	11,053	...	..	...	25,989	...	...	...	27,141	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	350	...	...	...	1050	...	...	...	...	...	...	592	...	..	619	...	...	...	631	...
...	17	...	...	...	28	...	...	...	...	...	65	...	...	...	45	...	...	...	30	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	82	...	...	...	246	...	...	...	...	...	...	883	...	...	192	...	...	...	209	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	18	...	...	...	42	...	...	...	...	16	...	...	...	...	55	...	...	...	44
...	351	...	...	...	651	...	...	...	...	...	122	...	...	...	384	..	...	...	375	...	...
...	439	30	81	...	346	90	189	...	...	...	183	81	...	...	660	64	253	...	752	71	297
...	...	...	...	...	...	...	...	...	...	...	23	...	136	..	29	...	...	...	...	...	...
...	4	...	...	...	8	...	...	...	...	...	4	...	...	...	12	...	...	...	60	...	...
...	97	...	...	...	206	...	...	...	...	...	73	...	...	...	239	...	...	...	318	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	..	18,567	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	1,261	...	...	...	1,006	...	...	...	...	..	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	408	1314	1194	...	798	3942	2786	...	...	9,336	1,174	...	...	7,130	2,583	4,125	...	832	2,736	3,993	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...
...	4·58	...	...	...	9·87	...	...	...	...	3·80	...	...	...	11·57	...	...	...	15·71	...	...	...
...	...	2·89	603	...	...	8·37	14·07	...	...	34·57	5·83	256·67	...	35·24	5·42	20·02	...	...	5·75	19·25	
...	7·60	...	...	...	14·87	...	...	...	...	6·56	...	...	...	13·93	...	...	...	15·73	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	20,938	...	...	...	...	...	...	...	...	...
...	375	443	...	...	637	1329	...	...	...	1,223	..	...	...	1,397	923	...	...	641	1,243	...	
...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...
...	...	...	3	...	...	...	7	...	...	...	3	...	...	...	...	11	...	...	...	...	11
271	...	...	...	271	...	...	...	...	...	271	...	...	...	271	...	...	...	271	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	L. S.	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	2 sets.	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	78,543	...	...	...	...	...	...	...	...

Excavating the Hulhalli Channel,

No.	Items.	Unit of work.	Rate to be filled in by contractors.	Section No. 12, 22½ to 24½ miles.					Section No. 13, 24½ to 26½ miles.			Section No. 14, 26½ to 27½ miles.			
				Channel.	Bridges.	Waste weirs.	Sluices.	Aqueduct.	Channel.	Bridges.	Sluices.	Channel.	Bridges.	Sluices.	Aqueduct.
1	Excavation	C. Yd.		26,200	70	890	228	666	24·411	9	228	18,633	32	114	1,358
2	Earthwork embankment ...	Do		23,941	...	...	...	...	5,954	...	...	12,965	...	...	...
3	Consolidation	Do		...	...	...	...	...	...	...	...	...	...	...	...
4	Rough stone work	Do		...	...	2,358	...	309	...	...	...	...	...	...	278
5	Metalling and gravelling...	Do		...	11	...	...	...	...	10	...	...	5	...	...
6	Gravelling	Do		...	...	...	...	...	...	...	...	...	...	...	...
7	Jelly filling	Do		...	...	...	...	230	...	...	...	...	...	...	210
8	Cut stone, pillars	C. Ft.		...	...	...	...	...	...	...	...	...	...	...	...
9	Slab stones dressed	Do		...	...	30	16	...	...	...	16	...	...	8	...
10	Stone pillars	Do		...	154	...	...	...	...	114	...	...	49	...	...
11	Slab stones	Do		...	280	390	108	...	...	...	108	...	108	54	74
12	Do	Do		...	...	...	...	205	...	263	...	...	...	...	...
13	Guard stones	No.		...	8	...	...	...	...	8	...	...	4	...	...
14	Rough stone in ordinary concrete ...	C. Yd.		...	126	...	...	...	...	168	...	...	56	...	...
15	Cut stone in surki mortar ...	C. Ft.		...	...	...	...	...	...	...	...	...	...	...	...
16	Burnt stone in do	Do		...	...	...	...	...	...	...	...	...	...	...	...
17	Brick in surki mortar, archwork ...	Do		...	...	...	...	6,552	...	...	...	...	...	...	3,900
18	Do do ...	Do		...	...	...	...	...	...	...	...	...	...	...	...
19	Do do ...	Do		...	...	...	...	...	...	...	...	...	...	...	...
20	Brick in ordinary mortar, archwork ...	Do		...	...	...	...	...	...	...	...	...	...	...	...
21	Do do ...	Do		...	...	...	...	...	...	...	...	...	...	...	...
22	Brick in ordinary mortar ...	Do		...	587	...	1,404	...	...	531	1,404	...	165	702	...
23	Pointing with surki mortar ...	Sqr.		...	...	...	...	...	...	...	...	...	...	...	...
24	Do ordinary do ...	Do		...	5·72	...	...	...	...	9·03	...	...	3·01	...	...
25	Plastering with surki mortar ...	Do		...	...	21·57	6·64	140·57	...	...	6·64	...	...	3·32	108·17
26	Do with ordinary mortar ...	Do		...	7·13	...	...	...	...	10 35	...	...	3·14	...	...
27	Concrete with surki mortar ...	C. Ft.		...	...	6,778	...	7,666	...	...	...	...	...	...	12,865
28	Do ordinary do ...	Do		...	...	...	...	...	...	212	...	...	97	...	...
29	Cornice work	R. Ft.		...	241	...	...	...	...	...	...	...	...	...	...
30	Teakwood work	C. Ft.		...	...	...	4	...	...	...	4	...	...	...	...
31	Turfing	Sqr.		271	..	...	...	...	271	...	...	271	...	2	...
32	Trimming	C. Yd.		...	...	...	...	...	...	...	...	...	...	...	...
33	Blasting	Do		...	...	...	...	...	...	...	...	...	...	...	...
34	Forming approaches	D		...	...	...	...	...	...	...	...	...	...	...	125
35	Bailing water	L. S.		...	...	..	...	L. S.	...	...	...	...	...	...	...
36	Centerings	Each.		...	...	1 Set.	...	2 Sets.	..	...	...	...	...	...	2 Sets.
37	Burnt stone work	C. Yd.		...	...	...	...	...	..	...	...	...	...	...	...
38	Ironwork	lbs.		...	...	...	...	...	...	...	...	...	...	...	...
39	Revetment, turfing and trimming ...	L. S.		...	...	...	...	...	...	...	...	...	...	...	...
40	Clearing site...	Do		...	...	...	...	...	...	...	...	...	...	..	...
41	Brick in surki mortar	C. Ft.		...	...	15,037	...	32,545	...	...	...	...	...	...	33,784

Nanjangud Taluk, Mysore District.—*Concluded.*

Section No. 15 27½ to 28½ miles.				Section No. 16 28½ to 29 miles.				Section No. 17 29 to 31½ miles.				Section No. 18 31½ to 35½.			
Channel.	Bridges.	Waste weirs.	Sluices.	Channel.	Bridges.	Aqueduct.	Sluices.	Channel.	Bridges.	Waste weirs.	Sluices.	Channel.	Bridges.	Waste weirs	Sluices.
1032	32	294	218	1,276	32	784	94	18,458	64	294	226	13,219	125	1,078	341
25,931	...	...	...	782	...	75,482	...	3,052	...	...	...	3,794	...	...	...
...	...	...	...	...	...	75,482	...	...	...	...	...	...	...	...	...
...	...	187	...	...	...	610	...	...	...	187	...	...	...	609	...
...	5	...	...	...	4	...	...	...	7	...	...	...	12	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	52	...	...	...	444	...	...	...	52	...	...	...	199	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	16	...	...	...	8	...	...	20	...	...	...	...	24
...	49	...	...	...	24	...	...	...	63	...	...	...	46	...	...
...	95	21	108	...	80	45	54	...	150	21	135	...	299	86	225
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	4	...	...	...	4	...	...	...	8	...	...	...	20	...	...
...	56	...	...	...	56	...	...	...	112	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	223	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	3015	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	152	894	1,395	...	37	...	684	...	266	827	1,677	...	356	3,308	2,616
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	3·01	...	...	...	3·01	...	...	...	6·02	...	...	...	11·71	...	...
...	...	1·97	6·54	...	...	115·22	3·12	...	...	1·76	7·56	...	...	6·09	11·23
...	2·90	...	...	...	2·61	...	...	...	3·89	...	...	...	7·18	...	...
...	...	...	...	...	...	7847	...	...	...	...	...	...	...	...	...
...	116	324	...	...	75	...	...	...	142	722	...	...	268	1,414	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	4	...	...	...	2	...	...	...	5	...	...	...	5
271	...	...	...	271	...	...	...	271	...	...	...	542	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	—	...	...	...	...	...	...	...	...	...	...	...	...	...	...
L. S.	...	...	...	...	...	L. S.	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	2 Sets.	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	35,992	...	...	...	...	...	...	...	...	...

F. J. McLAUGHLIN,
Executive Engineer.